

# **Feline Vaccine Protocol**

### 8 Weeks Old

- FVRCP Vaccine Series #1 of 3(Feline Rhinotracheitis, Calicivirus, Panleukopenia)
- Drontal Deworming
- Fecal Exam at 8 or 12 weeks
- > Start flea prevention at first visit, then monthly depending on lifestyle

### 12 Weeks Old

- FVRCP Vaccine Series #2 of 3 (Feline Rhinotracheitis, Calicivirus, Panleukopenia)
- FeLV Vaccine (Feline Leukemia) Series #1 of 2
- Drontal Deworming

# 16 Week Old

- > FVRCP Vaccine Series #3 of 3 (Feline Rhinotracheitis, Calicivirus, Panleukopenia) booster in 1 year
- FeLV Vaccine (Feline Leukemia) Series #2 of 2 booster in 1 year
- Rabies Vaccine booster in 1 year

# 1 Year Old

- FVRCP Vaccine (Feline Rhinotracheitis, Calicivirus, Panleukopenia) booster 3 years or evaluate need for vaccine titer test (Penleukopenia)
- Rabies Vaccine (booster every 3 years for outdoor cats or as recommended by your veterinarian)
- > FeLV (boosted annually for outdoor cats or as recommended by your veterinarian)
- Fecal Test (annually for outdoor cats)

What To Expect After Your Pet's Vaccination	
Common symptoms include	Rare symptoms include
Mild fever	<ul> <li>Swelling to face and legs</li> </ul>
<ul> <li>Decrease in social behavior</li> </ul>	<ul> <li>Repeated vomiting or diarrhea</li> </ul>
<ul> <li>Diminished appetite or activity</li> </ul>	<ul> <li>Whole body itching</li> </ul>
<ul> <li>Discomfort or mild swelling at the</li> </ul>	<ul> <li>Difficulty breathing</li> </ul>
injection site	<ul> <li>Collapse</li> </ul>
It's common for your pet to experience mild side	If your pet experiences any of these rare
effects from vaccination. Typically starting within	symptoms, you should contact your veterinarian
hours of vaccination, any symptoms are most	immediately, as your pet may require additional
often mild and usually do not persist for more	medical treatment.
than a few days. This is a normal response by	
your pet's immune system during the process of	
developing protective immunity.	